

# RIMEX

Building better wheels

## IDX

Want to reduce down-time... while airing up? Use TyreSense IDX—the fastest inflator on the market! The correct tire inflation pressure plays a critical role in the performance and life of an OTR tire. RIMEX engineered the IDX system to be a safe and fast way to accurately inflate and deflate OTR tires. Completely weather-resistant, the IDX can be mounted to the shop wall, on a mobile cart or on service vehicles.

### Key Features

#### SAFE

- Keeps personnel a safe distance from the potential hazard zone, using remote operating controls.

#### FAST

- No need to stop the air flow and perform manual pressure checks, as temperature and pressure is continually monitored by the TyreSense wheel sensor.


#### PRECISE

- Inflate tires to a desired storage pressure.

#### FLEXIBLE

- Time-based inflation settings**—IDX works perfectly well without TyreSense wheel sensors.
- Weather-resistant**—IDX can be mounted to the shop wall, on a mobile cart or on a service vehicle.
- Customizable**—IDX has 32 unique preset groups, each with settings for cold inflation pressure, gauge pressure and time-based inflation.
- Inflation/deflation options**—IDX has three operating methods:

**TyreSense Sensor**—Control inflation or deflation with configured settings based on internal wheel



sensor readings.

**Sensor Override**—Use time-based automatic inflation or deflation to override wheel sensors.

**Manual**—Start and stop inflation or deflation at any point to manually trim pressures.


- Shut-off options**—IDX has two automatic shut-off methods for inflation and deflation:

'Gauge' when the sensor data matches the preset gauge pressure, the IDX shuts off.

'Smart' the IDX calculates the shut-off time based on the current rate of inflation/deflation. This option eliminates any chance of over or under inflation due to sensor data lag.



Control Box



Pneumatic Assembly